

REVISED NATIONAL TUBERCULOSIS CONTROL PROGRAMME  
NATIONAL HEALTH MISSION  
DIRECTORATE OF HEALTH SERVICES  
CAMPAL, PANAJI GOA

Date: 13/07/2020

No: DHS/RNTCP/Quotation/Lab/2020-21/228

QUATATION NOTICE

Sealed Quotations are invited for the purchase of **Whatman No.1 Filter Paper** by The Chief Medical Officer, Revised National Tuberculosis Control Programme, National Health Mission, Campal Panaji Goa. The Quotation Notice with terms and conditions is available on website [www.nhm.goa.gov.in](http://www.nhm.goa.gov.in).

The last date for submitting the Quotations are **21/07/2020 up to 12.00 noon** and the Quotations will be opened on the same day at **3.00 PM**.

The Right to reject any or all quotations is reserved by the Chief Medical Officer, RNTCP.

Sd/-  
**Chief Medical Officer**

**QUOTATION NOTICE**  
**FOR THE SUPPLY OF LABORATORY MATERIAL “WHATMAN NO.1 FILTER PAPER”**

Sealed Quotations are invited by the Chief Medical Officer, Revised National Tuberculosis Control Programme, Directorate of Health Services, Panaji – Goa under State Health Society, National Health Mission for the Supply of Laboratory Material (**Whatman No.1 Filter Paper**). Quotations complete in all respects should reach this office on or before **21/07/2020 up to 12.00 noon** at the above mentioned address and will be opened at **3.00 PM** thereafter on the same day in the presence of the quotationer or their duly authorized representative as may be present. The quotation received after the stipulated date and time will not be entertained. Quotation should be super scribed as “**Supply of Laboratory Material (Whatman No.1 Filter Paper)**”.

Sr. No.	Material	Specification	Requirement
1	Whatman No. 1 filter paper	Pack of 100 (12.5 mm)	200 boxes

The prices should include the prices of delivery or any other charges. Price to be quoted for individual item separately. The total cost should include the taxes, duties, packing and forwarding, labor charges, insurance, delivery, installation and ex-works if any.

The Earnest Money deposit (EMD) equivalent to 2.5% of the total cost of the supply and installation is required to be sent along with the quotation. The deposit should be in the form of the Demand Draft drawn on any Nationalized Bank in Goa issued in favor of the Revised National Tuberculosis Control Programme, payable at Panaji.

Quotation which is not accompanied with the specified amount of EMD and not in conformity with the terms and conditions as well as specifications will be summarily rejected.

Valid Income Tax Clearance Certificate and Sales Tax Clearance Certificate should be produced along with the quotation. Canvassing in connection with quotations is strictly prohibited and any other quotation submitted by the party who resorts to canvassing will be liable for rejection.

Overwriting and corrections are not accepted in the complete quotation. However, if found unavoidable, such overwriting, correction should be properly attested by the Competent Authority.

Quotation should mention proper date with proper reference number. If found incorrect will be liable for rejection.

The opening of the quotation and recording the quoted rate in the presence of the supplier does not amount to acceptance of the quotation. The acceptance or rejection of the quotation depending upon their appropriation and will be decided by the Competent Authority only on detailed scrutiny.

The supplier should clearly indicate the expiry date of laboratory chemicals. An assurance for providing this should be submitted. The brochures containing details of item including make and standard along with Companies profile and list of the clients to whom such devices are supplied may be enclosed. The supplier should be authorized dealer with registered office in the State of Goa.

The product should have a shelf life of at least 2 years from the time of receipt of material by the customer. Manufacturer should declare the same in originals on the letterhead. The bidder shall submit the same at the time of bid opening.

The rates quoted should be valid for at least Six months from the date of acceptance of tender/quotation. If the item supplied are found to be sub-standard quality and not according to the specifications approved by this office, the same shall be liable to be summarily rejected.

The complete supply is to be done within 14 days from the date of issue of detailed supply order. The quantities mentioned are indicative. The actual requirement may increase or decrease at the time of purchase.

Late delivery charges – For every week of delay in supplying, installation, commissioning, the compensation at minimum 0.5 percent of the value of the items remaining to be supplied after due date limited to maximum of 5% of the total cost shall be charged at the discretion of the Competent Authority. The parts/item under warranty should be replaced within 48 hrs.

The successful quotationer has to enter into an agreement with the Department within seven days of the supply order.

The Chief Medical Officer TB Control Programme Panaji reserves the right to accept/reject any tender/quotation in part or whole without assigning any reasons thereof. His/her decision on the dispute in any way shall be final.

In the event of an order being placed with against the tender/quotation and failure to supply in accordance with the terms and conditions by acceptance of tender/quotation or to replace any items rejected by this office, the Chief Medical Officer TB Control Programme shall be entitled to purchase the same from elsewhere without any notice to the quotationer.

This office reserves the right to accept or reject the quotation.

Sd/-

**Chief Medical Officer  
Revised National Tuberculosis  
Control Programme**